

B REGIONAL DISTRICT OF CENTRAL OKANAGAN
BYLAW NO. 1567, Amendment No. 01 to Bylaw No. 1544

A bylaw to amend the Noxious Weed Control Bylaw No. 1544, 2024.

WHEREAS the Regional Board of the Regional District of Central Okanagan adopted Regional District of Central Okanagan Noxious Weed Control Bylaw No. 1544, 2024.

AND WHEREAS the Regional Board deems it advisable to amend the said Bylaw;

NOW THEREFORE THE REGIONAL BOARD OF THE REGIONAL DISTRICT OF CENTRAL OKANAGAN IN OPEN MEETING ASSEMBLED ENACTS AS FOLLOWS:

1. Regional District of Central Okanagan Noxious Weed Control Bylaw No. 1544, 2025 be amended by:
 - a. **Deleting** Schedule A in its entirety and **replacing** it with a new Schedule A in the form attached to and forming part of this amending Bylaw;
 - b. **Deleting** Schedule B in its entirety;
 - c. **Deleting** the following words “and B” after the words “Schedule A” and before “attached to,” under (I) INTERPRETATION, INVASIVE;
 - d. **Deleting** the following from section 8.(a):

“Work done by the Regional District of Central Okanagan will not include herbicide treatment. Charges incurred by the Regional District of Central Okanagan shall include a 15% administration fee. Any subsequent work on the same parcel within each calendar year shall include a \$75.00 surcharge plus a 15% administration fee. All fees incurred by the Regional District of Central Okanagan, if unpaid on the 31st day of December in any year, shall be added to and form part of the taxes payable in respect of such real property as taxes in arrear.”

and **replacing** it with the following:

“Work done by the Regional District of Central Okanagan will only include herbicide treatment where the Invasive Species Council of BC has indicated pesticide use as a best management practice. Charges incurred by the Regional District of Central Okanagan shall include a \$100.00 surcharge, inspection fee and the 15% administration fee. All fees incurred by the Regional District of Central Okanagan, if unpaid on the 31st day of December in any year, shall be added to and form part of the taxes payable in respect of such real property as taxes in arrears.”

2. This Bylaw may be cited as the "Bylaw No. 1567, Amendment No. 1 to Noxious Weed Control Bylaw No. 1544, 2024".

READ A FIRST, SECOND AND THIRD TIME THIS DAY OF , 2025.

ADOPTED THIS DAY OF , 2025.

CHAIRPERSON

CORPORATE OFFICER

Schedule "A"

<u>WEED NAME</u>	<u>LATIN NAME</u>
African Rue	(Peganum harmala)
Annual Sow Thistle	(Sonchus oleraceus)
Baby's Breath	(Gypsophila paniculata)
Bachelor's buttons	(Centaurea cyanus)
Barnyard grass	(Echinochloa crusgalli)
Black Henbane	(Hyoscyamus niger)
Black Locust	(Robinia pseudoacacia)
Black Knapweed	(Centaurea nigra)
Blueweed	(Echium vulgare)
Blue mustard	(Chorispora tenella)
Bohemian Knotweed	(Fallopia x bohémica)
Brazilian Elodea/Waterweed	(Egeria densa)
Broom, French	(Genista monspessulana)
Broom, Portuguese	(Cytisus striatus)
Bull Thistle	(Cirsium vulgare)
Bur Chervil	(Anthriscus caucalis)
Burdock	(Arctium spp.)
Butterfly bush	(Buddleja davidii)
Camelthorn	(Alhagi maurorum)
Canada Thistle	(Cirsium arvense)
Carpet Burweed	(Soliva sessilis)

Celandine, Greater	(Chelidonium majus)
Celandine, Lesser	(Ranunculus ficaria)
Cheatgrass	(Bromus tectorum)
Chicory	(Chicorium intybus)
Clary Sage	(Salvia sclarea)
Cleavers	(Galium aparine)
Common Bugloss	(Anchusa officinalis)
Common Comfrey	(Symphytum officinale)
Common Crupina	(Crupina vulgaris)
Common Fennel	(Foeniculum vulgare)
Common mallow	(Malva neglecta)
Common periwinkle	(Vinca minor)
Common Tansy	(Tanacetum vulgare)
Common Toadflax	(Linaria vulgaris)
Cordgrass, dense-flower	(Spartina densiflora)
Cordgrass, English	(Spartina anglica)
Cordgrass, salt meadow	(Spartina patens)
Cordgrass, smooth	(Spartina alterniflora)
Corn Spurry	(Spergula arvensis)
Creeping Buttercup	(Ranunculus repens)
Cudweed	(Gnaphalium uliginosum)
Curled dock	(Rumex crispus)
Curly-cup gumweed	(Grindell squarrosa)

Cypress Spurge	(<i>Euphorbia cyparissias</i>)
Dalmatian Toadflax	(<i>Linaria dalmatica</i>)
Diffuse Knapweed	(<i>Centaurea diffusa</i>)
Dodder	(<i>Cuscuta</i> spp.)
Dyer's Woad	(<i>Isatis tinctoria</i>)
Egg leaf Spurge	(<i>Euphorbia oblongata</i>)
English Holly	(<i>Ilex aquifolium</i>)
English Ivy	(<i>Hedera helix</i>)
Eurasian watermilfoil	(<i>Myriophyllum spicatum</i>)
European common reed	(<i>Phragmites australis</i> subspecies <i>australis</i>)
European waterlily	(<i>Nymphaea alba</i>)
Field Bindweed	(<i>Convolvulus arvensis</i>)
Field Scabious	(<i>Knautia arvensis</i>)
Flixweed	(<i>Descurainia Sophia</i>)
Flowering Rush	(<i>Butomus umbellatus</i>)
Foxglove	(<i>Digitalis purpurea</i>)
Foxtail Barley	(<i>Hordeum jubatum</i>)
Fragrant waterlily	(<i>Nymphaea odorata</i>)
Garlic Mustard	(<i>Alliaria petiolata</i>)
Giant Hogweed	(<i>Heracleum mantegazzianum</i>)
Giant Mannagrass/Reed Sweetgrass	(<i>Glyceria maxima</i>)

Giant Reed	(<i>Arundo donax</i>)
Goatsrue	(<i>Galega officinalis</i>)
Goldmoss stonecrop	(<i>Sedum acre</i>)
Gorse	(<i>Ulex europaeus</i>)
Green Foxtail	(<i>Setaria viridis</i>)
Groundsel	(<i>Senecio vulgaris</i>)
Hairy cat's-ear	(<i>Hypochaeris radicata</i>)
Halogeton/Saltlover	(<i>Halogeton glomeratus</i>)
Hemp-nettle	(<i>Galeopsis tetrahit</i>)
Himalayan Balsam	(<i>Impatiens glandulifera</i>)
Himalayan Blackberry	(<i>Rubus armeniacus</i>)
Himalayan Knotweed	(<i>Persicaria wallichii</i>)
Hoary Alyssum	(<i>Berteroa incana</i>)
Hoary Cress	(<i>Cardaria</i> spp.)
Hound's-tongue	(<i>Cynoglossum officinale</i>)
Hydrilla	(<i>Hydrilla verticillata</i>)
Iberian Starthistle	(<i>Centaurea iberica</i>)
Italian Thistle	(<i>Carduus pycnocephalus</i>)
Japanese Butterbur	(<i>Petasites japonica</i>)
Johnsongrass	(<i>Sorghum halepense</i>)
Jointed Goatgrass	(<i>Aegilops cylindrica</i>)
Knotweeds (Japanese, Giant & Bohemian)	(<i>Fallopia/Reynoutria</i> & <i>Polygonum</i> spp)

Kochia	(Kochia scoparia)
Kudzu	(Pueraria montana var. lobata)
Lady's thumb/pale smartweed	(Polygonum spp)
Leafy Spurge	(Euphorbia esula)
Longspine Sandbur	(Cenchrus longispinus)
Maltese Star Thistle	(Centaurea melitensis)
Marsh Plume Thistle	(Cirsium palustre)
Meadow Clary	(Salvia pratensis)
Meadow Hawkweed	(Hieracium pratens)
Meadow Knapweed	(Centaurea pratensis)
Mediterranean Sage	(Salvia aethiopis)
Medusahead	(Taeniatherum caput- medusae)
Milk Thistle	(Silybum marianum)
Mountain Bluet	(Centaurea montana)
Mouse-ear Hawkweed	(Hieracium pilosella)
Mullein	(Verbascum Thapsus)
Myrtle Spurge	(Euphorbia myrsinites)
Night-flowering catchfly	(Silene noctiflora)
Nightshade	(Solanum spp)
Nodding (musk) thistle	(Carduus nutans)
North Africa Grass	(Ventenata dubia)
Orange Hawkweed	(Pilosella aurantiaca)

Oxeye Daisy	(Chrysanthemum leucanthemum)
Perennial Pepperweed	(Lepidium latifolium)
Perennial Sow Thistle	(Sonchus arvensis)
Plumeless Thistle	(Carduus acanthoides)
Poison Hemlock	(Conium maculatum)
Prickly Lettuce	(Lactuca serriola)
Princess tree	(Paulownia tomentosa)
Puncturevine	(Tribulus terrestris)
Purple deadnettle	(Lamium purpureum)
Purple Loosestrife	(Lythrum salicaria)
Purple Nutsedge	(Cyperus rotundus)
Purple Starthistle	(Centaurea calcitrapa)
Quackgrass	(Agropyron repens)
Queen Anne's lace	(Daucus carota)
Red Bartsia	(Odontites serotina)
Redroot pigweed	(Amaranthus retroflexus)
Rush Skeletonweed	(Chondrilla juncea)
Russian Knapweed	(Rhaponticum repens)
Russian Olive	(Elaeagnus angustifolia)
Russian Thistle	(Salsola kali)
Salsify	(Tragopogon dubius)
Scentless Chamomile	(Matricaria maritima)
Scotch Broom	(Cytisus scoparius)

Scotch Thistle	(Onopordum acanthium)
Sheep sorrel	(Rumex acetosella)
Shepherd's-purse	(Capsella bursa- pastoris)
Shiny Geranium	(Geranium lucidum)
Siberian Elm	(Ulmus pumila)
Silverleaf nightshade	(Solanum elaeagnifolium)
Slender/Meadow foxtail	(Alopecurus myosuroides)
Slender False-Brome	(Brachypodium sylvaticum)
Slenderflower Thistle	(Carduus tenuiflorus)
Smallflower touch-me-not	(Impatiens parviflora)
Spotted Knapweed	(Centaurea stoebe)
Spring Milletgrass	(Miliun vernale)
Spurge Flax	(Thymelaea passerina)
Spurge Laurel	(Daphne laureola)
Squarrose Knapweed	(Centaurea virgata spp. Squarrosa)
St. John's wort	(Hypericum perforatum)
Sulphur Cinquefoil	(Potentilla recta)
Sweet Fennel	(Foeniculum vulgare)
Syrian Bean-caper	(Zygophyllum fabago)
Tamarisk/Salt Cedar	(Tamarix spp)

Tansy Ragwort	(Senecio jacobaea)
Tartary Buckwheat	(Fagopyrum tataricum)
Tarweed	(Madia spp)
Teasel	(Dipsacus fullonum)
Texas Blueweed	(Helianthus ciliaris)
Tree of Heaven	(Ailanthus altissima)
Velvetleaf	(Abutilon theophrasti)
Water Hemlock	(Cicuta douglasii)
Water Hyacinth	(Eichhornia crassipes)
Water Lettuce	(Pistia stratiotes)
Water Soldier	(Stratiotes aloides)
White Cockle	(Lychnis alba)
Whiplash Hawkweed	(Hieracium flagellare)
Wild Buckwheat	(Polygonum convolvulus)
Wild Caraway	(Carum carvi)
Wild Chervil	(Anthriscus sylvestris)
Wild Four O'Clock	(Mirabilis nyctaginea)
Wild Mustard	(Sinapsis arvensis)
Wild Oats	(Avena fatua)
Wild Parsnip	(Pastinaca sativa)
Wild proso millet	(Panicum milliaceum)
White-flowered Broom	(Cytisus multiflorus)
Yellow Archangel	(Lamium galeobdolon)

Yellow Flag Iris	(Iris pseudacorus)
Yellow Floating Heart	(Nymphoides peltate)
Yellow Hawkweed	(Hieracium spp)
Yellow Loosestrife	(Lysimachia vulgaris)
Yellow Nutsedge	(Cyperus esculentus)
Yellow Starthistle	(Centaurea solstitialis)