







FLOOR PLAN

NOTE:
ANCHOR ROD PROJECTION INDICATED IS MEASURED FROM UNDERSIDE
OF BASE PLATE.
MAKE THE NECESSARY ADJUSTMENTS TO ALLOW FOR BOLT.
ANCHOR RODS NOT BY BOLT.

ANCHOR ROD PLACEMENT

ANCHOR ROD TOLERANCES

- ANCHOR RODS SHALL BE SET IN ACCORDANCE WITH THE DESIGN DRAWINGS. THEY MUST NOT VARY FROM THE DIMENSIONS SHOWN ON THE DESIGN DRAWINGS BY MORE THAN THE FOLLOWING:
 - 1/4" (25mm) GROSS TO CENTER OF ANY TWO RODS WITHIN AN ANCHOR ROD GROUP, UNLESS AN ANCHOR ROD GROUP IS SHOWN AS THE SET OF ANCHOR RODS WHICH REQUIRES A SINGLE PRESTRESSER STEEL BRASSER PILE;
 - 1/4" (25mm) GROSS TO CENTER OF ANCHOR ROD GROUPS;
 - MINIMUM ACCUMULATION OF 1/4" (25mm) PER 10' (3048mm) ALONG THE ESTABLISHED COLUMN LINE OF MULTIPLE ANCHOR ROD GROUPS, BUT NOT TO EXCEED A TOTAL OF 1" (25mm). THE ESTABLISHED COLUMN LINE IS THE ACTUAL FIELD LINE MOST REPRESENTATIVE OF THE CENTER OF THE ANCHOR ROD GROUPS ALONG A LINE OF COLUMNS;
 - 1/4" (25mm) FROM THE CENTER OF ANY ANCHOR ROD GROUP TO THE ESTABLISHED COLUMN LINE THROUGH THAT GROUP.
- THE TOLERANCES OF PARAGRAPHS B, C, AND D ALSO APPLY TO OTHER DIMENSIONS SHOWN ON THE CONSTRUCTION DRAWINGS, INCLUDING PARALLEL AND PERPENDICULAR TO THE RESPECTIVE ESTABLISHED COLUMN LINE FOR INDIVIDUAL COLUMNS SHOWN ON THE DRAWINGS TO BE OTHER FROM ESTABLISHED COLUMN LINE.
- UNLESS OTHER OTHERWISE, ANCHOR RODS SHALL BE SET PERPENDICULAR TO THE THEORETICAL BEARING SURFACE, THUS THEY SHALL BE PERPENDICULAR AND FREE OF CONCRETE AND MUST BE SET PERPENDICULAR TO THE THEORETICAL BEARING SURFACE. THEY SHALL BE CLOSED OF OTHER, FORWARD, BE AND SHOWN FROM TO STEEL DIRECTION.

Quote Reviewed and Accepted By _____

PRELIMINARY

--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--

Structural drawing of a bridge deck showing cross-sections and dimensions. The drawing includes labels for various components like FB24.5A(1), FB23.6A(1), RF1-1, RF1-2, RF1-3, SP-1, and SP-2. Dimensions are given in feet and inches, including overall width (50'-0" OUT-TO-OUT OF STEEL), height (19'-0"), and various clearances (e.g., 18'-11 3/8" Clearance). Slopes are indicated as 1"/12. The drawing is oriented with a vertical centerline and a horizontal axis labeled C and A.

Quote Reviewed and Accepted By _____

PRELIMINARY

				CUSTOMER:		PROJECT: NICHOLLS EARTHWORKS		ISSUE
						LOCATION: KILGONNAGH		REVISE
								A
				RIGID FRAME ELEVATION				
A	FOR PERMIT							
ISSUE	DESCRIPTION	CHECKED BY	YY/MM/DD	SCALE	N.T.S.	BLK. #	120 EASTVIEW DRIVE, WINDSOR, MANITOBA, R0W 0C0, 204-325-4388	